



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $10 \times 800 = 8,002$

2) $2 \times 777 = 1,554$

3) $5 \times 634 = 3,172$

4) $784 \times 2 = 1,568$

5) $5 \times 539 = 2,695$

6) $819 \times 10 = 8,190$

7) $398 \times 10 = 3,980$

8) $2 \times 300 = 600$

9) $320 \times 5 = 1,600$

10) $609 \times 2 = 1,219$

11) $998 \times 10 = 9,987$

12) $2 \times 762 = 1,525$

13) $5 \times 367 = 1,836$

14) $10 \times 645 = 6,450$

15) $898 \times 10 = 8,980$

16) $2 \times 660 = 1,320$

17) $2 \times 229 = 459$

18) $10 \times 744 = 7,442$

19) $5 \times 159 = 798$

20) $5 \times 464 = 2,320$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | |
|---|---|-----------------------|
| <p>1) $10 \times 800 = 8,002$</p> | <p>2) $2 \times 777 = 1,554$</p> | <p>1. <u>no</u></p> |
| <p>3) $5 \times 634 = 3,172$</p> | <p>4) $784 \times 2 = 1,568$</p> | <p>2. <u>yes</u></p> |
| <p>5) $5 \times 539 = 2,695$</p> | <p>6) $819 \times 10 = 8,190$</p> | <p>3. <u>no</u></p> |
| <p>7) $398 \times 10 = 3,980$</p> | <p>8) $2 \times 300 = 600$</p> | <p>4. <u>yes</u></p> |
| <p>9) $320 \times 5 = 1,600$</p> | <p>10) $609 \times 2 = 1,219$</p> | <p>5. <u>yes</u></p> |
| <p>11) $998 \times 10 = 9,987$</p> | <p>12) $2 \times 762 = 1,525$</p> | <p>6. <u>yes</u></p> |
| <p>13) $5 \times 367 = 1,836$</p> | <p>14) $10 \times 645 = 6,450$</p> | <p>7. <u>yes</u></p> |
| <p>15) $898 \times 10 = 8,980$</p> | <p>16) $2 \times 660 = 1,320$</p> | <p>8. <u>yes</u></p> |
| <p>17) $2 \times 229 = 459$</p> | <p>18) $10 \times 744 = 7,442$</p> | <p>9. <u>yes</u></p> |
| <p>19) $5 \times 159 = 798$</p> | <p>20) $5 \times 464 = 2,320$</p> | <p>10. <u>no</u></p> |
| | | <p>11. <u>no</u></p> |
| | | <p>12. <u>no</u></p> |
| | | <p>13. <u>no</u></p> |
| | | <p>14. <u>yes</u></p> |
| | | <p>15. <u>yes</u></p> |
| | | <p>16. <u>yes</u></p> |
| | | <p>17. <u>no</u></p> |
| | | <p>18. <u>no</u></p> |
| | | <p>19. <u>no</u></p> |
| | | <p>20. <u>yes</u></p> |



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $930 \times 10 = 9,300$

2) $457 \times 5 = 2,289$

3) $10 \times 530 = 5,300$

4) $586 \times 5 = 2,930$

5) $2 \times 958 = 1,916$

6) $852 \times 2 = 1,705$

7) $2 \times 796 = 1,593$

8) $5 \times 638 = 3,193$

9) $704 \times 5 = 3,522$

10) $836 \times 5 = 4,180$

11) $5 \times 535 = 2,675$

12) $987 \times 10 = 9,870$

13) $159 \times 2 = 319$

14) $741 \times 10 = 7,410$

15) $317 \times 10 = 3,176$

16) $651 \times 5 = 3,256$

17) $651 \times 10 = 6,513$

18) $904 \times 2 = 1,809$

19) $513 \times 2 = 1,026$

20) $568 \times 2 = 1,136$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $930 \times 10 = 9,300$

2) $457 \times 5 = 2,289$

3) $10 \times 530 = 5,300$

4) $586 \times 5 = 2,930$

5) $2 \times 958 = 1,916$

6) $852 \times 2 = 1,705$

7) $2 \times 796 = 1,593$

8) $5 \times 638 = 3,193$

9) $704 \times 5 = 3,522$

10) $836 \times 5 = 4,180$

11) $5 \times 535 = 2,675$

12) $987 \times 10 = 9,870$

13) $159 \times 2 = 319$

14) $741 \times 10 = 7,410$

15) $317 \times 10 = 3,176$

16) $651 \times 5 = 3,256$

17) $651 \times 10 = 6,513$

18) $904 \times 2 = 1,809$

19) $513 \times 2 = 1,026$

20) $568 \times 2 = 1,136$

1. yes

2. no

3. yes

4. yes

5. yes

6. no

7. no

8. no

9. no

10. yes

11. yes

12. yes

13. no

14. yes

15. no

16. no

17. no

18. no

19. yes

20. yes



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $678 \times 10 = 6,780$

2) $5 \times 658 = 3,290$

3) $2 \times 631 = 1,262$

4) $866 \times 5 = 4,330$

5) $462 \times 5 = 2,314$

6) $5 \times 615 = 3,075$

7) $140 \times 10 = 1,401$

8) $542 \times 2 = 1,084$

9) $10 \times 873 = 8,735$

10) $10 \times 339 = 3,391$

11) $5 \times 636 = 3,182$

12) $2 \times 871 = 1,743$

13) $5 \times 469 = 2,349$

14) $204 \times 10 = 2,044$

15) $381 \times 10 = 3,810$

16) $512 \times 2 = 1,024$

17) $703 \times 2 = 1,407$

18) $833 \times 2 = 1,666$

19) $556 \times 2 = 1,113$

20) $10 \times 872 = 8,720$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $678 \times 10 = 6,780$

2) $5 \times 658 = 3,290$

3) $2 \times 631 = 1,262$

4) $866 \times 5 = 4,330$

5) $462 \times 5 = 2,314$

6) $5 \times 615 = 3,075$

7) $140 \times 10 = 1,401$

8) $542 \times 2 = 1,084$

9) $10 \times 873 = 8,735$

10) $10 \times 339 = 3,391$

11) $5 \times 636 = 3,182$

12) $2 \times 871 = 1,743$

13) $5 \times 469 = 2,349$

14) $204 \times 10 = 2,044$

15) $381 \times 10 = 3,810$

16) $512 \times 2 = 1,024$

17) $703 \times 2 = 1,407$

18) $833 \times 2 = 1,666$

19) $556 \times 2 = 1,113$

20) $10 \times 872 = 8,720$

1. yes
2. yes
3. yes
4. yes
5. no
6. yes
7. no
8. yes
9. no
10. no
11. no
12. no
13. no
14. no
15. yes
16. yes
17. no
18. yes
19. no
20. yes



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $710 \times 10 = 7,108$

2) $2 \times 674 = 1,348$

3) $2 \times 327 = 654$

4) $5 \times 181 = 905$

5) $10 \times 149 = 1,490$

6) $592 \times 5 = 2,963$

7) $130 \times 5 = 650$

8) $311 \times 2 = 622$

9) $788 \times 2 = 1,577$

10) $5 \times 578 = 2,890$

11) $560 \times 10 = 5,600$

12) $540 \times 10 = 5,409$

13) $653 \times 2 = 1,307$

14) $5 \times 569 = 2,848$

15) $2 \times 821 = 1,643$

16) $10 \times 415 = 4,150$

17) $2 \times 759 = 1,518$

18) $574 \times 10 = 5,748$

19) $668 \times 2 = 1,337$

20) $10 \times 165 = 1,652$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $710 \times 10 = 7,108$

2) $2 \times 674 = 1,348$

3) $2 \times 327 = 654$

4) $5 \times 181 = 905$

5) $10 \times 149 = 1,490$

6) $592 \times 5 = 2,963$

7) $130 \times 5 = 650$

8) $311 \times 2 = 622$

9) $788 \times 2 = 1,577$

10) $5 \times 578 = 2,890$

11) $560 \times 10 = 5,600$

12) $540 \times 10 = 5,409$

13) $653 \times 2 = 1,307$

14) $5 \times 569 = 2,848$

15) $2 \times 821 = 1,643$

16) $10 \times 415 = 4,150$

17) $2 \times 759 = 1,518$

18) $574 \times 10 = 5,748$

19) $668 \times 2 = 1,337$

20) $10 \times 165 = 1,652$

1. no

2. yes

3. yes

4. yes

5. yes

6. no

7. yes

8. yes

9. no

10. yes

11. yes

12. no

13. no

14. no

15. no

16. yes

17. yes

18. no

19. no

20. no



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $10 \times 761 = 7,611$

2) $2 \times 340 = 681$

3) $318 \times 10 = 3,189$

4) $965 \times 5 = 4,825$

5) $2 \times 717 = 1,435$

6) $10 \times 511 = 5,116$

7) $2 \times 422 = 844$

8) $5 \times 953 = 4,765$

9) $530 \times 5 = 2,650$

10) $5 \times 300 = 1,500$

11) $5 \times 265 = 1,328$

12) $2 \times 519 = 1,039$

13) $5 \times 950 = 4,754$

14) $10 \times 650 = 6,500$

15) $10 \times 492 = 4,928$

16) $2 \times 391 = 782$

17) $5 \times 193 = 969$

18) $10 \times 620 = 6,200$

19) $743 \times 2 = 1,486$

20) $10 \times 983 = 9,830$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|---|---|-----|------------|
| <p>1) $10 \times 761 = 7,611$</p> | <p>2) $2 \times 340 = 681$</p> | 1. | no |
| <p>3) $318 \times 10 = 3,189$</p> | <p>4) $965 \times 5 = 4,825$</p> | 2. | no |
| <p>5) $2 \times 717 = 1,435$</p> | <p>6) $10 \times 511 = 5,116$</p> | 3. | no |
| <p>7) $2 \times 422 = 844$</p> | <p>8) $5 \times 953 = 4,765$</p> | 4. | yes |
| <p>9) $530 \times 5 = 2,650$</p> | <p>10) $5 \times 300 = 1,500$</p> | 5. | no |
| <p>11) $5 \times 265 = 1,328$</p> | <p>12) $2 \times 519 = 1,039$</p> | 6. | no |
| <p>13) $5 \times 950 = 4,754$</p> | <p>14) $10 \times 650 = 6,500$</p> | 7. | yes |
| <p>15) $10 \times 492 = 4,928$</p> | <p>16) $2 \times 391 = 782$</p> | 8. | yes |
| <p>17) $5 \times 193 = 969$</p> | <p>18) $10 \times 620 = 6,200$</p> | 9. | yes |
| <p>19) $743 \times 2 = 1,486$</p> | <p>20) $10 \times 983 = 9,830$</p> | 10. | yes |
| | | 11. | no |
| | | 12. | no |
| | | 13. | no |
| | | 14. | yes |
| | | 15. | no |
| | | 16. | yes |
| | | 17. | no |
| | | 18. | yes |
| | | 19. | yes |
| | | 20. | yes |



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $887 \times 10 = 8,875$

2) $329 \times 5 = 1,645$

3) $750 \times 5 = 3,753$

4) $2 \times 377 = 754$

5) $417 \times 5 = 2,085$

6) $10 \times 596 = 5,960$

7) $202 \times 2 = 405$

8) $452 \times 10 = 4,520$

9) $490 \times 10 = 4,903$

10) $126 \times 5 = 633$

11) $2 \times 333 = 667$

12) $632 \times 2 = 1,264$

13) $590 \times 5 = 2,951$

14) $326 \times 5 = 1,634$

15) $231 \times 2 = 463$

16) $10 \times 264 = 2,646$

17) $10 \times 791 = 7,910$

18) $818 \times 2 = 1,636$

19) $2 \times 877 = 1,755$

20) $5 \times 589 = 2,945$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $887 \times 10 = 8,875$

2) $329 \times 5 = 1,645$

3) $750 \times 5 = 3,753$

4) $2 \times 377 = 754$

5) $417 \times 5 = 2,085$

6) $10 \times 596 = 5,960$

7) $202 \times 2 = 405$

8) $452 \times 10 = 4,520$

9) $490 \times 10 = 4,903$

10) $126 \times 5 = 633$

11) $2 \times 333 = 667$

12) $632 \times 2 = 1,264$

13) $590 \times 5 = 2,951$

14) $326 \times 5 = 1,634$

15) $231 \times 2 = 463$

16) $10 \times 264 = 2,646$

17) $10 \times 791 = 7,910$

18) $818 \times 2 = 1,636$

19) $2 \times 877 = 1,755$

20) $5 \times 589 = 2,945$

1. no
2. yes
3. no
4. yes
5. yes
6. yes
7. no
8. yes
9. no
10. no
11. no
12. yes
13. no
14. no
15. no
16. no
17. yes
18. yes
19. no
20. yes



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $825 \times 10 = 8,250$

2) $2 \times 615 = 1,230$

3) $727 \times 5 = 3,635$

4) $442 \times 10 = 4,420$

5) $10 \times 928 = 9,287$

6) $10 \times 969 = 9,693$

7) $2 \times 916 = 1,833$

8) $523 \times 5 = 2,618$

9) $320 \times 2 = 641$

10) $369 \times 5 = 1,845$

11) $949 \times 5 = 4,745$

12) $2 \times 481 = 963$

13) $707 \times 2 = 1,414$

14) $661 \times 10 = 6,610$

15) $800 \times 5 = 4,001$

16) $622 \times 10 = 6,220$

17) $498 \times 2 = 996$

18) $10 \times 319 = 3,191$

19) $716 \times 5 = 3,582$

20) $321 \times 10 = 3,218$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | | |
|--|---|-----|------------|
| <p>1) $825 \times 10 = 8,250$</p> | <p>2) $2 \times 615 = 1,230$</p> | 1. | <u>yes</u> |
| <p>3) $727 \times 5 = 3,635$</p> | <p>4) $442 \times 10 = 4,420$</p> | 2. | <u>yes</u> |
| <p>5) $10 \times 928 = 9,287$</p> | <p>6) $10 \times 969 = 9,693$</p> | 3. | <u>yes</u> |
| <p>7) $2 \times 916 = 1,833$</p> | <p>8) $523 \times 5 = 2,618$</p> | 4. | <u>yes</u> |
| <p>9) $320 \times 2 = 641$</p> | <p>10) $369 \times 5 = 1,845$</p> | 5. | <u>no</u> |
| <p>11) $949 \times 5 = 4,745$</p> | <p>12) $2 \times 481 = 963$</p> | 6. | <u>no</u> |
| <p>13) $707 \times 2 = 1,414$</p> | <p>14) $661 \times 10 = 6,610$</p> | 7. | <u>no</u> |
| <p>15) $800 \times 5 = 4,001$</p> | <p>16) $622 \times 10 = 6,220$</p> | 8. | <u>no</u> |
| <p>17) $498 \times 2 = 996$</p> | <p>18) $10 \times 319 = 3,191$</p> | 9. | <u>no</u> |
| <p>19) $716 \times 5 = 3,582$</p> | <p>20) $321 \times 10 = 3,218$</p> | 10. | <u>yes</u> |
| | | 11. | <u>yes</u> |
| | | 12. | <u>no</u> |
| | | 13. | <u>yes</u> |
| | | 14. | <u>yes</u> |
| | | 15. | <u>no</u> |
| | | 16. | <u>yes</u> |
| | | 17. | <u>yes</u> |
| | | 18. | <u>no</u> |
| | | 19. | <u>no</u> |
| | | 20. | <u>no</u> |



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $5 \times 161 = 808$

2) $2 \times 688 = 1,376$

3) $668 \times 5 = 3,344$

4) $5 \times 269 = 1,349$

5) $746 \times 10 = 7,461$

6) $2 \times 144 = 289$

7) $10 \times 676 = 6,760$

8) $185 \times 2 = 370$

9) $10 \times 471 = 4,710$

10) $10 \times 886 = 8,860$

11) $10 \times 511 = 5,110$

12) $10 \times 712 = 7,122$

13) $5 \times 207 = 1,035$

14) $484 \times 2 = 968$

15) $317 \times 2 = 635$

16) $10 \times 239 = 2,398$

17) $10 \times 985 = 9,854$

18) $2 \times 657 = 1,315$

19) $2 \times 297 = 594$

20) $282 \times 2 = 565$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $5 \times 161 = 808$

2) $2 \times 688 = 1,376$

3) $668 \times 5 = 3,344$

4) $5 \times 269 = 1,349$

5) $746 \times 10 = 7,461$

6) $2 \times 144 = 289$

7) $10 \times 676 = 6,760$

8) $185 \times 2 = 370$

9) $10 \times 471 = 4,710$

10) $10 \times 886 = 8,860$

11) $10 \times 511 = 5,110$

12) $10 \times 712 = 7,122$

13) $5 \times 207 = 1,035$

14) $484 \times 2 = 968$

15) $317 \times 2 = 635$

16) $10 \times 239 = 2,398$

17) $10 \times 985 = 9,854$

18) $2 \times 657 = 1,315$

19) $2 \times 297 = 594$

20) $282 \times 2 = 565$

1. no

2. yes

3. no

4. no

5. no

6. no

7. yes

8. yes

9. yes

10. yes

11. yes

12. no

13. yes

14. yes

15. no

16. no

17. no

18. no

19. yes

20. no



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $5 \times 353 = 1,765$

2) $10 \times 661 = 6,616$

3) $5 \times 527 = 2,635$

4) $2 \times 698 = 1,397$

5) $2 \times 424 = 849$

6) $488 \times 10 = 4,880$

7) $10 \times 488 = 4,888$

8) $2 \times 527 = 1,055$

9) $139 \times 5 = 699$

10) $2 \times 201 = 402$

11) $453 \times 2 = 907$

12) $10 \times 793 = 7,932$

13) $5 \times 459 = 2,295$

14) $10 \times 390 = 3,901$

15) $2 \times 789 = 1,578$

16) $5 \times 334 = 1,670$

17) $10 \times 374 = 3,740$

18) $2 \times 533 = 1,066$

19) $5 \times 830 = 4,152$

20) $5 \times 334 = 1,674$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

1) $5 \times 353 = 1,765$

2) $10 \times 661 = 6,616$

3) $5 \times 527 = 2,635$

4) $2 \times 698 = 1,397$

5) $2 \times 424 = 849$

6) $488 \times 10 = 4,880$

7) $10 \times 488 = 4,888$

8) $2 \times 527 = 1,055$

9) $139 \times 5 = 699$

10) $2 \times 201 = 402$

11) $453 \times 2 = 907$

12) $10 \times 793 = 7,932$

13) $5 \times 459 = 2,295$

14) $10 \times 390 = 3,901$

15) $2 \times 789 = 1,578$

16) $5 \times 334 = 1,670$

17) $10 \times 374 = 3,740$

18) $2 \times 533 = 1,066$

19) $5 \times 830 = 4,152$

20) $5 \times 334 = 1,674$

1. yes

2. no

3. yes

4. no

5. no

6. yes

7. no

8. no

9. no

10. yes

11. no

12. no

13. yes

14. no

15. yes

16. yes

17. yes

18. yes

19. no

20. no



Determine if the answer shown is reasonable (yes) or not (no).

Answers

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

1) $351 \times 2 = 703$

2) $2 \times 486 = 973$

3) $2 \times 742 = 1,485$

4) $461 \times 10 = 4,611$

5) $596 \times 5 = 2,980$

6) $748 \times 10 = 7,484$

7) $5 \times 471 = 2,357$

8) $10 \times 141 = 1,410$

9) $728 \times 5 = 3,641$

10) $2 \times 642 = 1,284$

11) $222 \times 2 = 444$

12) $5 \times 300 = 1,500$

13) $379 \times 10 = 3,790$

14) $530 \times 10 = 5,300$

15) $2 \times 472 = 944$

16) $2 \times 998 = 1,997$

17) $5 \times 364 = 1,823$

18) $5 \times 643 = 3,215$

19) $5 \times 320 = 1,601$

20) $10 \times 668 = 6,684$

1. _____

2. _____

3. _____

4. _____

5. _____

6. _____

7. _____

8. _____

9. _____

10. _____

11. _____

12. _____

13. _____

14. _____

15. _____

16. _____

17. _____

18. _____

19. _____

20. _____



Determine if the answer shown is reasonable (yes) or not (no).

- Anything times 2 HAS to end in an even number (2,4,6,8,0). Ex. $2 \times 6 = 12$ $2 \times 13 = 26$
- Anything times 5 HAS to end in an either a 5 or a 0. Ex. $5 \times 4 = 20$ $5 \times 15 = 75$
- Anything times 10 HAS to end in a 0. Ex. $10 \times 7 = 70$ $10 \times 16 = 160$

Answers

- | | | |
|---|---|-----------------------|
| <p>1) $351 \times 2 = 703$</p> | <p>2) $2 \times 486 = 973$</p> | <p>1. <u>no</u></p> |
| <p>3) $2 \times 742 = 1,485$</p> | <p>4) $461 \times 10 = 4,611$</p> | <p>2. <u>no</u></p> |
| <p>5) $596 \times 5 = 2,980$</p> | <p>6) $748 \times 10 = 7,484$</p> | <p>3. <u>no</u></p> |
| <p>7) $5 \times 471 = 2,357$</p> | <p>8) $10 \times 141 = 1,410$</p> | <p>4. <u>no</u></p> |
| <p>9) $728 \times 5 = 3,641$</p> | <p>10) $2 \times 642 = 1,284$</p> | <p>5. <u>yes</u></p> |
| <p>11) $222 \times 2 = 444$</p> | <p>12) $5 \times 300 = 1,500$</p> | <p>6. <u>no</u></p> |
| <p>13) $379 \times 10 = 3,790$</p> | <p>14) $530 \times 10 = 5,300$</p> | <p>7. <u>no</u></p> |
| <p>15) $2 \times 472 = 944$</p> | <p>16) $2 \times 998 = 1,997$</p> | <p>8. <u>yes</u></p> |
| <p>17) $5 \times 364 = 1,823$</p> | <p>18) $5 \times 643 = 3,215$</p> | <p>9. <u>no</u></p> |
| <p>19) $5 \times 320 = 1,601$</p> | <p>20) $10 \times 668 = 6,684$</p> | <p>10. <u>yes</u></p> |
| | | <p>11. <u>yes</u></p> |
| | | <p>12. <u>yes</u></p> |
| | | <p>13. <u>yes</u></p> |
| | | <p>14. <u>yes</u></p> |
| | | <p>15. <u>yes</u></p> |
| | | <p>16. <u>no</u></p> |
| | | <p>17. <u>no</u></p> |
| | | <p>18. <u>yes</u></p> |
| | | <p>19. <u>no</u></p> |
| | | <p>20. <u>no</u></p> |